



Soils Map



State: **Indiana**
 County: **Wabash**
 Location: **5-29N-6E**
 Township: **Pleasant**
 Acres: **105.31**
 Date: **8/15/2025**

 **Metzger**
 Property Services, LLC
 Real Estate • Auctions • Appraisals

Maps Provided By:
 **surety**
 CUSTOMIZED ONLINE MAPPING
 © AgriData, Inc. 2023 www.AgriDataInc.com



Soils data provided by USDA and NRCS.

Area Symbol: IN169, Soil Area Version: 29

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Corn	Corn Bu	Corn silage Tons	Grass legume hay	Grass legume hay Tons	Grass legume pasture	Grass legume pasture AUM	Pasture AUM	Soybeans	Soybeans Bu	Winter wheat	Winter wheat Bu	*n NCCPI Soybeans
MfB2	Miami loam, 2 to 6 percent slopes, eroded	21.76	20.9%		Ile	143	143	19	5	5	9	9		49	49	64	64	44
Sf	Sebewa-Milford complex	21.73	20.6%		Ilw	142	142	22	4	4			10	37	37	57	57	66
Wc	Wallkill silt loam, 0 to 2 percent slopes	11.31	10.7%		Illw	142	142		5	5	10	10		49	49	3	3	88
OmA	Ormas loamy sand, 0 to 2 percent slopes	8.10	7.7%		Ills	90	90	14	3	3			6	32	32	45	45	36
RhA	Riddles loam, 0 to 2 percent slopes	5.33	5.1%		I	145	145	20	5	5			10	51	51	73	73	72

Soils data provided by USDA and NRCS.

Maps Provided By:



© AgriData, Inc. 2023 www.AgrIDataInc.com

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Corn	Corn Bu	Corn silage Tons	Grass legume hay	Grass legume hay Tons	Grass legume pasture	Grass legume pasture AUM	Pasture AUM	Soybeans	Soybeans Bu	Winter wheat	Winter wheat Bu	*n NCCPI Soybeans
MIC3	Miami clay loam, moderately permeable substratum, 6 to 12 percent slopes, severely eroded	4.36	4.1%		Ive	125	125	18	4	4			8	44	44	56	56	39
Br	Brookston loam	3.83	3.6%		Ilw	172	172		6	6			12	49	49	70	70	74
KaB	Kalamazoo sandy loam, 2 to 6 percent slopes	3.55	3.4%		Ile	117	117	16	4	4			8	41	41	59	59	59
Re	Rensselaer loam, 0 to 1 percent slopes	2.80	2.7%		Ilw	167	167		6	6			11	49	49	68	68	81
MeB	Metea loamy sand, 2 to 6 percent slopes	2.43	2.3%		Ille	110	110	18	4	4			7	39	39	55	55	40
MeC	Metea loamy sand, 6 to 12 percent slopes	2.24	2.1%		Ille	100	100	16	3	3			7	35	35	50	50	39
MfC2	Miami loam, 6 to 12 percent slopes, eroded	2.15	2.0%		Ille	135	135	19	4	4	9	9		47	47	61	61	39
OcB2	Ockley loam, 2 to 6 percent slopes, eroded	2.15	2.0%		Ile	122	122	17	5	5			8	42	42	61	61	71
CsA	Crosier loam, 0 to 3 percent slopes	2.07	2.0%		Ilw	140	140	19	5	5			9	46	46	63	63	51
MkD3	Miami clay loam, Saginaw lobe, 12 to 18 percent slopes, severely eroded	2.01	1.9%		Vle	110	110	16	4	4	7	7		39	39	51	51	25
Pm	Palms muck, drained	1.93	1.8%		Illw	158	158		5	5			11	43	43	63	63	91
FsB2	Fox loam, 2 to 6 percent slopes, eroded	1.86	1.8%		Ile	90	90	16	3	3			6	32	32	45	45	56
RhB2	Riddles loam, 2 to 6 percent slopes, eroded	1.78	1.7%		Ile	145	145	19	5	5			10	51	51	73	73	62

Maps Provided By:



© AgriData, Inc. 2023

www.AgrIDataInc.com

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Corn	Corn Bu	Corn silage Tons	Grass legume hay	Grass legume hay Tons	Grass legume pasture	Grass legume pasture AUM	Pasture AUM	Soybeans	Soybeans Bu	Winter wheat	Winter wheat Bu	*n NCCPI Soybeans
OmC	Ormas loamy sand, 6 to 15 percent slopes	1.19	1.1%		Ille	81	81	14	3	3			5	29	29	41	41	35
Wh	Washtenaw silt loam	1.07	1.0%		Ilw	165	165	22	5	5			11	49	49	66	66	71
Md	Martisco muck, sandy substratum	0.88	0.8%		IVw	139	139		5	5			9	33	33	56	56	70
Se	Sebewa loam, disintegration moraine, 0 to 1 percent slopes	0.28	0.3%		Ilw	133	133		4	4			9	37	37	65	65	66
OcA	Ockley loam, 0 to 2 percent slopes	0.26	0.2%		I	122	122	18	5	5			8	42	42	61	61	80
FsD2	Fox loam, 12 to 20 percent slopes, eroded	0.12	0.1%		IVe	68	68	14	3	3			5	23	23	34	34	49
OmB	Ormas loamy sand, 2 to 6 percent slopes	0.12	0.1%		Ille	90	90	14	3	3			6	32	32	45	45	36
Weighted Average					2.40	134.5	134.5	15.1	4.5	4.5	3.3	3.3	5.8	43	43	53.4	53.4	*n 58.4

*n: The aggregation method is "Weighted Average using all components"

*c: Using Capabilities Class Dominant Condition Aggregation Method